

PDU Technology Specification

Date: 03/01/2021

NO.: DBAL0312103006

Customer	AL	RoHS	Yes
Product Name	Designated Power Distribution Unit for Cabinet	Customer's Code	
Part Number	AUE2250H1-24AVFNMB	Picture Code	DBAL0312103006
No.	Item	Detailed Description	
1	Product Series	AUE2250	
2	Socket Type	Single IEC320 C13 Socket(Right)[20];lec 320 C19 standard, press (right)[4];	
3	Socket Quantity	24	
4	Power Input	Left end single input	
5	Bracket Install	Inverse installation	
6	Cable with plug	IEC60309 plug (32A 2P+E)	
7	Control Function	No controlling function	
8	Protection Function	No protecting function	
9	Case	Black	
10	Cable Specification	3 x 6.0 mm ² x 3M	
11	Product Size	L x W x H = 1071 x 44.4 x 44.4 mm	
12	Mounting Length	1050 mm	
13	Case Length	1018 mm	
14	PDU Exponent	1. 417	
15	Fittings	2pcs φ6×16mm cross bolt, 2pcs M6 float nut,	
16	Product Label	Product Name	Designated Power Distribution Unit for Cabinet
		Specification Model	AUE2250H1-24AVFNMB
		Rating voltage	250VAC 50/60Hz
		Rating Current	32A
		Max. Current	
		Max. Power	8000W
		Safety Authentication	CE
		Logo	RoHS
		Producer	
No.	Add-In		
1	Socket assemble	No	
2	Interior Connection Wire	2.5 mm ² (14AWG)	
3	Interior Connection Style	Standard connection	
4	Fix the Cable	Cable clamp(19)	
5	Module Assemble (from left to right)	Pls refer to the drawing	
6	Others		
Made by: Linda		Customer confirm:	Check: Authorize:

This technology specification is for: design product for customer and confirm customer's requirements, and is also the basic gist for arranging production.

Preview



IEC60309 plug (32A 2P+E)

DIMENSION AND TOLERANCES (Unit: mm)			SHENZHEN CLEVER ELECTRONIC CO.,LTD	
Length: 1071	Mounting length: 1050		Customer	AL
Width: 44.4	Case length: 1018		Product name	Designated Power Distribution Unit for Cabinet
Height: 44.4	case tolerance: ± 1.0		Part number	AUE2250H1-24AVFNMB
DRAWN	Linda	03/01/2021	Customer's code	
CHK'D			Drawing number	DBAL0312103006
APP'D			Edition number	